

**SAFETY DATA SHEET**

PRODUCT NAME: CQ-19

DATE: 01/01/2016

SYNONYMS: LUBRICATING OIL

CAS REG # : 64742-65-0

MANUFACTURER'S NAME: CONQUEST INC

MANUFACTURER'S ADDRESS: 1415 INDUSTRIAL WAY UNIT K  
GARDNERVILLE, NV 89410

MANUFACTURER'S PHONE # : (775)783-4182

CHEMTREC PHONE #: (800) 424-9300

---

---

MATERIAL HAZARD EVALUATION

---

---

HEALTH: NON-HAZARDOUS

PRECAUTIONARY STATEMENT: NONE

---

---

SECTION I GENERIC COMPOSITION / COMPONENTS

---

---

COMPONENTS: 100% REFINED PETROLEUM OIL

CAS # : 64742-65-0

HAZARD DATA

ORAL: LD50 15G/KG

EYE: PRACTICALLY NON-IRRITATING (0.7-1.7/110, DRAIZE)

SKIN: NON-IRRITATING OR PRACTICALLY NON-IRRITATING (0-0.6/8, DRAIZE)

IHLN: LC50/4H: 5,000MG/M3

---

---

SECTION II                      PHYSICAL DATA

---

---

PHYSICAL HAZARD CLASSIFICATION : STABLE

BOILING POINT: 760 MMHG

SPECIFIC GRAVITY: .87 GM/CC

VAPOR DENSITY: >1

% VOLATILES BY VOL.: NEGLIGIBLE

MELTING POINT: N/A

VAPOR PRESSURE: 1X10-6 TORR

SOLUBILITY IN WATER: NEGLIGIBLE

EVAPORATION RATE : < 1

PH OF UNDILUTED PRODUCT : ND

APPEARANCE AND ODOR: CLEAR-YELLOW LIQUID, BLAND ODOR

---

---

SECTION III                      FIRE AND EXPLOSION DATA

---

---

FLASH POINT : 213 C

FIRE POINT : 244 C

NFPA: HEALTH 1      FLAMMABILITY 1      REACTIVITY 0

FLAMMABLE LIMITS IN AIR % VOL : LOWER: N/A      UPPER : N/A

EXTINGUISHING MEDIA: CO2, DRY CHEMICAL FOAM OR WATER FOG

SPECIAL FIRE FIGHTING PROCEDURE : NONE

UNUSUAL FIRE OR EXPLOSION HAZARD: WATER MAY CAUSE FROTHING

---

---

SECTION : IV            REACTIVITY DATA

---

---

STABILITY: STABLE

INCOMPATIBILITY : STRONG ANTI OXIDANTS

HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO2

---

---

SECTION V    SPILL OR LEAK PROCEDURES

---

---

SPILLS: REMOVE SOURCES OF HEAT OR IGNITION, PROVIDE ADEQUATE VENTILATION CONTAIN LEAK. ABSORB SHALL SPILLS WITH RAGS SAND, OR STRAW.

WASTE DISPOSAL : IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE IF THE MATERIAL IS A HAZARDOUS WASTE AT THE TIME OF DISPOSAL. CHECK BEFORE DISPOSING TO BE SURE YOU ARE IN COMPLIANCE WITH ALL APPLICABLE LAWS AND REGULATIONS.

---

---

SECTION VI HEALTH AND HAZARD DATA

---

---

TOXICITY SUMMARY : SLIGHTLY TOXIC, 1 PT. TO 1 QT IS APPROXIMATE LETHAL ORAL DOSE FOR 150 LB PERSON.

ACUTE EXPOSURE SYMPTOMS:

INHALATION: LOW RISK OF INHALATION. IN ENCLOSED SPACES OR WHEN HOT, VAPORS MAY REACH CONCENTRATIONS SUFFICIENT TO CAUSE DROWSINESS, DIZZINESS, HEADACHE, NAUSEA, OR LUNG IRRITATION. MIST ABOVE TLV MAY CAUSE CHEMICAL PNEUMONIA.

DERMAL CONTACT: LOW IRRITANT

ABSORPTION: NO PROBABLE ACUTE HAZARD

EYE CONTACT: MAY BE MILDLY IRRITATING

INGESTION: GENERALLY LOW TOXICITY. VERY LARGE AMOUNTS MAY CAUSE  
GENERALIZED DEPRESSION, HEADACHE, DROWSINESS,  
NAUSEA,  
VOMITING OR DIARRHEA. SMALL DOSES MAY PRODUCE  
IRRITATION  
AND DIARRHEA.

CHRONIC EXPOSURE: PROLONGED AND/ OR FREQUENT CONTACT MAY CAUSE  
DRYING, CRACKING (DERMATITIS) OR  
FOLLICULITIS

OTHER SPECIAL EFFECTS: NONE EXPECTED

FIRST AID AND EMERGENCY PROCEDURES FOR ACUTE EFFECT

INHALATION: REMOVE TO FRESH AIR. RESPIRATORY SUPPORT IF NECESSARY.  
SEEK MEDICAL AID

DERMAL: WASH WITH SOAP AND WATER. DO NOT WEAR HEAVILY  
CONTAMINATED CLOTHING BEFORE LAUNDERING.

EYES: FLUSH WITH LARGE VOLUMES OF WATER. SEE PHYSICIAN IF ANY  
COMPLICATIONS ARISE.

INGESTION: DO NOT INDUCE VOMITING. SEEK MEDICAL AID, HAS LAXATIVE  
EFFECT.

INJECTION: SUBCUTANEOUS INJECTION IS A MEDICAL EMERGENCY. SEEK  
MEDICAL AID IMMEDIATELY.